

# Department of Defense Standardization Program



## ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

**1 May 2010**

(For the Period 15 April 2010 to 30 April 2010)

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA		DATE
							PREP ACTY	
N	MIL-DTL-32351	Grenade, Hand, - M67, Metal Parts Assembly for [CUST: AR MC 70] [REVIEW: 99 FAS NP]	D	1330		AR		20-APR-2010
M	MIL-PRF-23950B(1) NOT 1	Aluminum Powder, Spherical [CUST: AS]	A	1336		AS		19-APR-2010
M	MIL-STD-1623E(1)	Fire Performance Requirements and Approved Specifications for Interior Finish Materials and Furnishings (Naval Shipboard Use) [CUST: SH] [REVIEW: YD]	A	19GP		SH		19-APR-2010
M	A-A-52448A	Cock, Plug: Air Supply, Vehicular, Air Brake System [CUST: AT MC 99] [REVIEW: CC]	A	2530	/	AT		14-APR-2010
M	A-A-52415A	Clamp Assembly - Exhaust Muffler and Tailpipe [CUST: AT]	A	2990	/	AT		27-APR-2010
M	MIL-DTL-22200/1H(1)	Electrodes, Welding, Mineral Covered, Iron-Powder, Low-Hydrogen Medium and High Tensile Steel, As-Welded or Stress-Relieved Weld Application [CUST: SH]	A	3439		SH		19-APR-2010
M	MIL-PRF-24755B	Fans, Vaneaxial, High Pressure, Naval Shipboard [CUST: SH] [REVIEW: IS]	A	4140		SH		19-APR-2010
M	MIL-DTL-32305(1)	Masks, Chemical - Biological, Protective, Metal Castings for [CUST: EA]	X	4240		EA		15-APR-2010
M	MIL-PRF-32148 NOT 1	Filter Separator Elements, Fluid, Pressure, Aviation and Distillate Fuel, Naval Shipboard [CUST: AS] [REVIEW: SH YD]	A	4330		AS		27-APR-2010
M	MIL-DTL-83796/14A	Hose Assembly, Rubber, Lightweight, Medium Pressure, Internal Support Coil, Field Attachable End Fittings, Flare to Flange [CUST: AV AS 99 CC] [REVIEW: AT MC SA]	A	4720		CC		26-APR-2010
M	MIL-DTL-83796/15A	Hose Assembly, Rubber, Lightweight, Medium Pressure, Internal Support Coil, Field Attachable End Fittings, Flare to Flange, with Lockwire Hole [CUST: AV AS 99 CC] [REVIEW: 71 85 AT MC SA]	A	4720		CC		26-APR-2010
M	MIL-DTL-83796/16A	Hose Assembly, Rubber, Lightweight, Medium Pressure, Internal Support Coil, Field Attachable End Fittings, Flareless to Flange [CUST: AV AS 99 CC] [REVIEW: 71 85 AT MC SA]	A	4720		CC		26-APR-2010
M	MIL-DTL-83796/17A	Hose Assembly, Rubber, Lightweight, Medium Pressure, Internal Support Coil, Field Attachable End Fittings, Flareless to Flange, with Lockwire Hole [CUST: AV AS 99 CC] [REVIEW: 71 85 AT MC SA]	A	4720		CC		26-APR-2010
M	MIL-DTL-83796/18A	Hose Assembly, Rubber, Lightweight, Medium Pressure, Internal Support Coil, Field Attachable End Fittings, Flange to Flange [CUST: AV AS 99 CC] [REVIEW: 71 85 AT MC SA]	A	4720		CC		26-APR-2010
M	QPL-25579-49	Hose Assembly, Polytetrafluorethylene, High Temperature, Medium Pressure, General Specification for	A	4720		CC		15-APR-2010
M	MIL-STD-419E	Cleaning, Protecting, and Testing Piping, Tubing, and Fittings for Hydraulic Power Transmission Equipment [CUST: CR4 SH] [REVIEW: MC MI MS OS]	A	4730		SH		26-APR-2010
M	A-A-52598A	Couplings, Clamp, Pipe; with Bolts and Synthetic-Rubber Gaskets for Grooved-End Pipe [CUST: AT MC 99] [REVIEW: 71 CC CE]	A	4730	/	AT		19-APR-2010
M	A-A-59240A	Composite Repair Set, Aircraft (Dual Zone, Class 1 Div 2) [CUST: 84] [REVIEW: 99]	A	4920	/	84		21-APR-2010
M	QPL-55342-110	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, General Specification For	A	5905		CR		15-APR-2010
M	MIL-PRF-39006G(1) SUP 1	Capacitor, Fixed, Electrolytic (Nonsolid Electrolyte), Tantalum, Established Reliability, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC OS SH]	A	5910		CC		16-APR-2010
M	MIL-PRF-83421/6D	Capacitors, Fixed, Metallized Plastic Film Dielectric, DC and AC, Hermetically Sealed in Metal Cases, Established Reliability Styles CRH31, CRH32, CRH33, CRH34, and CRH35 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS MC OS SH]	A	5910		CC		28-APR-2010
M	MIL-PRF-83383/1F	Circuit Breakers, Remote Control, AC-DC, Thermal, Trip-Free, Series Trip, Single Pole, (5 to 100 Amperes) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CR4]	A	5925		CC		29-APR-2010
M	MIL-PRF-83383/2F	Circuit Breakers, Remote Control, AC-DC, Thermal, Trip-Free, Series Trip, Single Pole, Auxiliary Contacts (5 to 100 Amperes) [CUST: CR AS 85 CC] [REVIEW: 99 AT AV CR4]	A	5925		CC		29-APR-2010
M	MIL-PRF-22885/111B	Switches, Pushbutton, Light Emitting Diode (LED) Illuminated, Standard, Night Vision Imaging System (NVIS) and Sunlight Readable Displays, SPDT and DPDT, Low Level to 7 Amperes, Sealed and Unsealed, Solder and Common Termination System (CTS) Terminations [CUST: EC 85 CC]	A	5930		CC		19-APR-2010
M	MIL-DTL-3786/20K	Switch, Rotary, Closed Construction, Explosion Proof, Flux Seal, .500 Inch Diameter, .200 Ampere, Style SR20 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT AV CG CR4 MC MI OS SM]	A	5930		CC		15-APR-2010
M	A-A-52482B	Switch, Rotary: Stoplight, Vehicular, Mechanically Actuated, 28 Volt DC [CUST: AT] [REVIEW: CC]	A	5930	/	AT		14-APR-2010
N	SAE-AS55941	Switches, Toggle, Electrically Held, Sealed, General Specification for [CUST: MI AS CC]	A	5930		AS		16-APR-2010
N	SAE-AS55941/1	Switch, Toggle, Magnetic Hold-in SPDT [CUST: AS 85 CC]	A	5930		AS		16-APR-2010
N	SAE-AS55941/2	Switch, Toggle, Magnetic Hold-in, DPDT [CUST: AS 85 CC]	A	5930		AS		16-APR-2010
N	SAE-AS55941/3	Switch, Toggle, Magnetic Hold-in, DP3T [CUST: AS 85 CC]	A	5930		AS		16-APR-2010
N	SAE-AS55941/6	Switch, Toggle, Magnetic Hold-in, DP3T Lever Lock [CUST: AS CC]	A	5930		AS		16-APR-2010
M	MIL-PRF-39012/1H(1)	Connectors, Plug, Electrical, Coaxial, Radio Frequency, (Series N (Cabled), Pin Contact, Class 2) [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935		CC		26-APR-2010
M	MIL-DTL-21097/21C	Connectors, Electrical, Printed Wiring Board Receptacle, Card Insertion, Contact Spacing (.156), Types A and AD [CUST: CR EC 85 CC] [REVIEW: 99 AR AT CR4 MC MI OS SH]	A	5935		CC		07-APR-2010
M	MIL-DTL-38999/20G(1)	Connectors, Electrical, Circular, Receptacle, Threaded, Wall Mounting Flange, Removable Crimp Contacts, Series III, Metric [CUST: CR AS 85 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC		21-APR-2010
M	MIL-PRF-27/369B	Inductor, Power [CUST: CR EC 85 CC] [REVIEW: 19 AS MI OS]	A	5950		CC		16-APR-2010
M	MIL-PRF-3098/3G	Crystal Unit, Quartz, CR18/U [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS MC MI SH]	A	5955		CR		05-MAR-2010
M	MIL-PRF-3098/4G	Crystal Unit, Quartz, CR19/U [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS MC MI SH]	A	5955		CR		05-MAR-2010
M	MIL-PRF-3098/7J	Crystal Unit, Quartz, CR25/U [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS MC MI SH]	A	5955		CR		05-MAR-2010
M	MIL-PRF-3098/8G	Crystal Unit, Quartz, CR26/U [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS MC MI SH]	A	5955		CR		05-MAR-2010
M	MIL-PRF-3098/9H	Crystal Unit, Quartz, CR27/U [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI SH]	A	5955		CR		05-MAR-2010
M	MIL-PRF-3098/10H	Crystal Unit, Quartz, CR28/U [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS MC MI SH]	A	5955		CR		05-MAR-2010
M	MIL-PRF-3098/14G	Crystal Unit, Quartz, CR33/U [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS MC MI SH]	A	5955		CR		05-MAR-2010
M	MIL-PRF-3098/15H	Crystal Unit, Quartz, CR35/U [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS MC MI SH]	A	5955		CR		05-MAR-2010
M	MIL-PRF-3098/16J	Crystal Unit, Quartz, CR36/U [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI SH]	A	5955		CR		05-MAR-2010
M	MIL-PRF-3098/17G	Crystal Unit, Quartz, CR37/U [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS MC MI SH]	A	5955		CR		05-MAR-2010
M	MIL-PRF-3098/21H	Crystal Unit, Quartz, CR42/U [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS MC MI SH]	A	5955		CR		05-MAR-2010
M	MIL-PRF-3098/25G	Crystal Unit, Quartz, CR46/U [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS MC MI SH]	A	5955		CR		05-MAR-2010
M	MIL-PRF-3098/26H	Crystal Unit, Quartz, CR47/U [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS MC MI SH]	A	5955		CR		05-MAR-2010
M	MIL-PRF-55310/31A	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 0.75 MHz Through 200 MHz, Hermetic Seal, Square Wave, Advanced CMOS [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI NA SM]	A	5955		CR		19-APR-2010
M	MIL-PRF-55310/33B	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 500 KHz through 85 MHz, Hermetic Seal, CMOS [CUST: CR EC 99 CC] [REVIEW: 19 AR AS CG MC MI NA SM]	A	5955		CR		19-APR-2010

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA		MCA	PREP ACTY	DATE
M	MIL-PRF-55310/34B	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 500 KHz through 150 MHz, Hermetic Seal, Low Voltage CMOS [CUST: CR EC 99 CC] [REVIEW: 19 84 AR AS CG MC MI NA SM]	A	5955			CR	19-APR-2010
M	MIL-PRF-55310/35A	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 1 MHz Through 133 MHz, Hermetic Seal, Low Voltage 2.5V CMOS [CUST: CR EC 99 CC] [REVIEW: 19 AR AS CG MC MI NA SM]	A	5955			CR	19-APR-2010
M	MIL-PRF-55310/36A	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 1 MHz Through 100 MHz, Hermetic Seal, Low Voltage 1.8V CMOS [CUST: CR EC 99 CC] [REVIEW: 19 AR AS CG MC MI NA SM]	A	5955			CR	19-APR-2010
M	MIL-PRF-55310/37A	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 500 KHz Through 85 MHz, Hermetic Seal, CMOS [CUST: CR EC 99 CC] [REVIEW: 19 AR AS CG MC MI NA SM]	A	5955			CR	19-APR-2010
M	MIL-PRF-55310/38A	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 500 KHz Through 150 MHz, Hermetic Seal, Low Voltage CMOS [CUST: CR EC 99 CC] [REVIEW: 19 AR AS CG MC MI NA SM]	A	5955			CR	19-APR-2010
M	MIL-PRF-55310/39A	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 1 MHz Through 133 MHz, Hermetic Seal, Low Voltage 2.5V CMOS [CUST: CR EC 99 CC] [REVIEW: 19 AR AS CG MC MI NA SM]	A	5955			CR	19-APR-2010
M	MIL-PRF-55310/40A	Oscillator, Crystal Controlled, Type 1 (Crystal Oscillator (XO)), 1 MHz Through 100 MHz, Hermetic Seal, Low Voltage 1.8V CMOS [CUST: CR EC 99 CC] [REVIEW: 19 AR AS CG MC MI NA SM]	A	5955			CR	19-APR-2010
M	QPL-3098-93	Crystal Units, Quartz, General Specification for	A	5955			CR	27-APR-2010
M	QPL-55310-71	Oscillator, Crystal Controlled, General Specification for	A	5955			CR	27-APR-2010
M	MIL-PRF-19500/542H	Semiconductor Device, Transistor, Field Effect, N-Channel, Silicon, Types 2N6756, 2N6758, 2N6760, 2N6762, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 70 TD]	A	5961			CC	26-APR-2010
M	MIL-PRF-19500/685E	Semiconductor Device, Field Effect Radiation Hardened Transistor, N-Channel, Silicon, Types 2N7475T1, 2N7476T1 and 2N7477T1 (Total Dose and Single Event Effects), JANTXVR and JANSR [CUST: CR EC 85 CC NA] [REVIEW: 99]	A	5961			CC	22-APR-2010
M	MIL-PRF-19500/732B	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistors, P-Channel, Silicon, Types 2N7519U3, 2N7519U3C, 2N7519T3, 2N7520U3, 2N7520U3C, and 2N7520T3, JANTXVR, F and JANSR, F [CUST: CR EC 85 CC NA]	A	5961			CC	23-APR-2010
M	MIL-PRF-19500/743B	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel, Silicon, Types 2N7503U8 and 2N7503U8C, JANTXVR, F, G, and H and JANSR, F, G and H [CUST: CR EC 85 CC NA] [REVIEW: 99]	A	5961			CC	22-APR-2010
N	MIL-PRF-19500/756	Semiconductor Device, Field Effect Transistor, N-Channel, Radiation Hardened (Total Dose and Single Event Effects), Logic-Level Silicon, Types 2N7607T3 and 2N7606U3 JANTXVR, JANTXVF, JANSR, and JANSF [CUST: CR EC 85 CC NA]	A	5961			CC	28-APR-2010
N	SAE-AS81550	Compound, Insulating, Electrical, Embedding, Reversion Resistant Silicone [CUST: CR AS 11 CC] [REVIEW: 03 19 85 99 CG GS MI SH]	A	5970			AS	16-APR-2010
M	MIL-DTL-7965G(1) SUP 1	Antenna Components: Antiprecipitation Static [CUST: AV AS 85 CC] [REVIEW: 99]	A	5985			CC	27-APR-2010
M	A-A-59590/7B	Holder, Electrical Card, Wedge Retainers, 3 Piece, Screw Actuated Drive, .220 X .220 Inch Body Size [CUST: CR EC 85 CC] [REVIEW: 99 MI]	A	5998	/		CC	22-APR-2010
M	A-A-59590/8B	Holder, Electrical Card, Wedge Retainers, 3 Piece, Screw Actuated Drive, .220 X .220 Inch Body Size, with Visual Lock Indication [CUST: CR EC 85 CC] [REVIEW: 99 MI]	A	5998	/		CC	22-APR-2010
M	A-A-59789A	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, General Requirements for [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/		CC	27-APR-2010
M	A-A-59789/1A	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .225 X .260 Inch Body Size, with Two Mounting Holes, Screw Actuation and Retention [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/		CC	27-APR-2010
M	A-A-59789/2A	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .225 X .260 Inch Body Size, with Two Mounting Holes and Visual Lock Indication, with Screw Actuation and Retention [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/		CC	27-APR-2010
M	MIL-DTL-24765A	Power Supply, Uninterruptible, Static (Naval Shipboard) [CUST: SH] [REVIEW: EC GS YD]	A	6130			SH	26-APR-2010
M	MIL-PRF-8565/15A(1)	Battery, Storage, Aircraft, Medium-Rate, Type 1, Maintenance-Free, 24-Volt, 35-Ampere-Hour [CUST: AS 84 GS]	A	6140			AS	19-APR-2010
M	MIL-DTL-16938D	Searchlights, Incandescent, Signaling, 8-Inch [CUST: SH GS] [REVIEW: IS YD]	A	6230			GS2	22-APR-2010
M	A-A-52409A	Lamps, Incandescent, Sealed Beam [CUST: AT YD 99 GS] [REVIEW: 11 71 SH]	A	6240	/		GS2	21-APR-2010
M	MIL-DTL-11751F(1) NOT 1	Potassium Hydroxide Solution [CUST: EA 68 GS] [REVIEW: MD 1]	A	6810			GS3	27-APR-2010
M	O-E-751C NOT 1	Ether, Petroleum, Technical-Grade [CUST: EA GS]	A	6810	/		GS3	19-APR-2010
M	MIL-DTL-3277F(2)	Dye, Solvent Green 3 [CUST: EA]	A	6820			EA	20-APR-2010
M	MIL-PRF-32295A	Cleaner, Non-Aqueous, Low-Voc, Hap-Free [CUST: AT AS 68 GS3]	A	6850			AS	19-APR-2010
M	MIL-PRF-22019E(1)	Barrier Materials, Transparent, Flexible, Sealable, Volatile Corrosion Inhibitor Treated [CUST: SM AS 69] [REVIEW: 11 71 99 AT CC CR CR4 EA MC MI OS SA SH]	A	8135			AS	16-APR-2010
M	MIL-DTL-11589/93F	Ribbon, Mexican Border Service Medal [CUST: IH NU 11] [REVIEW: 99 CG CT MC]	A	8455			IH	23-APR-2010
M	MIL-DTL-11589/94F	Ribbon, Mexican Service Medal, U.S. Army [CUST: IH] [REVIEW: CT]	A	8455			IH	23-APR-2010
M	MIL-DTL-11589/117F	Ribbon, Philippine Campaign Medal [CUST: IH NU] [REVIEW: CT MC]	A	8455			IH	23-APR-2010
M	MIL-DTL-11589/118F	Ribbon, Philippine Congressional Medal [CUST: IH] [REVIEW: CT]	A	8455			IH	23-APR-2010
M	MIL-DTL-11589/138F	Ribbon, Spanish Campaign Medal [CUST: IH NU] [REVIEW: CG CT MC]	A	8455			IH	23-APR-2010
M	MIL-DTL-11589/139F	Ribbon, Spanish War Service Medal [CUST: IH] [REVIEW: CT]	A	8455			IH	23-APR-2010
M	MIL-DTL-11589/153F	Ribbon, Women's Army Corps Service Medal [CUST: IH] [REVIEW: CT]	A	8455			IH	23-APR-2010
M	MIL-DTL-11589/165J	Ribbon, Exceptional Service, Defense Threat Reduction Agency [CUST: IH] [REVIEW: CT]	A	8455			IH	30-APR-2010
M	MIL-DTL-11589/166J	Ribbon, Meritorious Service, Defense Threat Reduction Agency [CUST: IH] [REVIEW: CT]	A	8455			IH	30-APR-2010
M	MIL-DTL-11589/298D	Ribbon, Distinguished Service Medal, U.S. Public Health Service [CUST: IH] [REVIEW: CT]	A	8455			IH	30-APR-2010
M	MIL-DTL-11589/309D	Ribbon, Bronze Medal, Department of Commerce [CUST: IH] [REVIEW: CT]	A	8455			IH	30-APR-2010
M	MIL-DTL-11589/344D	Ribbon, Exceptional Public Service Medal, NASA [CUST: IH] [REVIEW: CT]	A	8455			IH	23-APR-2010
M	MIL-DTL-11589/376C	Ribbon, Meritorious Service Medal, Federal Bureau of Prisons, U.S. Department of Justice [CUST: IH] [REVIEW: CT]	A	8455			IH	23-APR-2010
M	MIL-DTL-11589/377C	Ribbon, Distinguished Service Medal, Federal Bureau of Prisons, U.S. Department of Justice [CUST: IH] [REVIEW: CT]	A	8455			IH	23-APR-2010
M	MIL-DTL-11589/489A	Ribbon, Joint Distinguished Civilian Service Award, Chairman of the Joint Chiefs of Staff [CUST: IH] [REVIEW: CT]	A	8455			IH	30-APR-2010
M	MIL-DTL-11589/490A	Ribbon, Joint Meritorious Civilian Service Award, Chairmen of the Joint Chiefs of Staff [CUST: IH] [REVIEW: CT]	A	8455			IH	30-APR-2010

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	MIL-DTL-11589/491A	Ribbon, Meritorious Civilian Service Award, Civilian Personnel Management Service, Department of Defense [CUST: IH] [REVIEW: CT]	A	8455	IH	30-APR-2010
M	MIL-DTL-11589/492B	Ribbon, Outstanding Civilian Career Service Award, Civilian Personnel Management Service, Department of Defense [CUST: IH] [REVIEW: CT]	A	8455	IH	30-APR-2010
M	MIL-DTL-11589/493A	Ribbon, Exceptional Civilian Service Award, Civilian Personnel Management Service, Department of Defense [CUST: IH] [REVIEW: CT]	A	8455	IH	30-APR-2010
M	MIL-DTL-11589/494B	Ribbon, Distinguished Service, Defense Threat Reduction Agency [CUST: IH] [REVIEW: CT]	A	8455	IH	30-APR-2010
N	A-A-59864	Snowshoe, Assault [CUST: GL CT]	A	8465	/ CT	26-APR-2010
M	A-A-20120E	Vegetables, Mixed, Canned [CUST: GL SA 35] [REVIEW: MC MD QM]	A	8915	/ SS	16-APR-2010
M	MIL-DTL-83133G	Turbine Fuel, Aviation, Kerosene Type, JP-8 (NATO F-34), NATO F-35, and JP-8+100 (NATO F-37) [CUST: AT AS 68 PS] [REVIEW: 11 AR AV]	A	9130	68	30-APR-2010
M	MIL-PRF-7870D	Lubricating Oil: General Purpose, Low Temperature (NATO O-142) [CUST: AT AS 68 GS] [REVIEW: 11 AR MI OS PS SA SH SM]	A	9150	68	30-APR-2010
N	TOP-4-2-840	Vehicle Vulnerability Tests Against Roadside Improvised Explosive Devices (IEDs) [CUST: TE]	D	ISDA	TE	04-FEB-2010
N	TOP-4-2-502	Safety Testing of Antipersonnel/Antitank Munitions, and Demolitions [CUST: TE]	A	ISDA	TE	17-DEC-2009
N	DI-MGMT-81806	Demand Only Transactions Report [AMSC: N9128]	A	MGMT	SH	06-APR-2010
N	DI-MGMT-81808	Contractor's Risk Management Plan [AMSC: N9131]	A	MGMT	SH	21-APR-2010
N	DI-MGMT-81809	Risk Management Status Report [AMSC: N9132]	A	MGMT	SH	26-APR-2010
N	DI-MISC-81807	Software/Firmware Change Request [AMSC: N9130]	A	MISC	SH	20-APR-2010
M	MIL-HDBK-189B	Reliability Growth Management [CUST: SY EC 11] [REVIEW: CR]	A	SESS	SY	29-APR-2010

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA	PREP ACTY	DATE
			FSC/AREA			
M	MS14271D	Handle, Coupling, Pneumatic Starter [CUST: AS 84 IS] [REVIEW: 71]	A 5340		IS	28-APR-2010
M	MIL-PRF-22885/89C	Switch, Pushbutton, Illuminated, Single Lamp, 7 Amperes, Momentary Action [CUST: EC 85 CC] [REVIEW: 99]	A 5930		CC	19-APR-2010
M	MIL-PRF-22885/96D	Switches, Pushbutton, Illuminated, 4-Lamp, RFI Shielded [CUST: EC CC]	A 5930		CC	19-APR-2010
M	MIL-M-38510/20D NOT 1	Microcircuits, Digital, TTL, Low Power, Nand Gates ,Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A 5962		CC	27-APR-2010
M	MIL-M-38510/24B NOT 1	Microcircuits, Digital, TTL, Nand Buffers, High Speed, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A 5962		CC	27-APR-2010
M	MIL-M-38510/81D NOT 1	Microcircuits, Digital, Bipolar, Schottky TTL, Line Drivers, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A 5962		CC	27-APR-2010
M	MIL-M-38510/82C NOT 1	Microcircuits, Digital, Bipolar, Schottky TTL, Magnitude Comparators, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A 5962		CC	27-APR-2010
M	MIL-DTL-17/2A(3) NOT 3	Cable, Radio Frequency, Flexible Coaxial, 75 OHMS, M17/2-RG6 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 IS MC MI OS SH]	A 6145		CC	13-APR-2010
M	MIL-DTL-17/6B(3) NOT 3	Cables, Radio Frequency, Flexible Coaxial, 75 OHMS, M17/6-RG11, Unarmored, M17/6-RG12 Armored [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 IS MC MI OS SH]	A 6145		CC	13-APR-2010
M	MIL-DTL-17/15B(1) NOT 3	Cables, Radio Frequency, Flexible, Twin, 95 OHMS, Unarmored M17/15-RG022, and Armored M17/15-RG111 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 IS MC MI OS SH TD]	A 6145		CC	13-APR-2010
M	MIL-DTL-17/28C(1) NOT 2	Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/28-RG058 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD]	A 6145		CC	13-APR-2010
M	MIL-DTL-17/29C(2) NOT 4	Cables, Radio Frequency, Flexible, Coaxial, 75 OHMS, M17/29-RG59 [CUST: CR EC 85 CC] [REVIEW: 19 AS AT CR4 MC MI OS SH]	A 6145		CC	13-APR-2010
M	MIL-DTL-17/30D(1) NOT 2	Cable, Radio Frequency, Flexible, Coaxial, 93 OHMS, M17/30-RG-062 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 IS MC MI OS SH TD]	A 6145		CC	13-APR-2010
M	MIL-DTL-17/45E(1) NOT 2	Cables, Radio Frequency, Flexible, Twin, 78 OHMS, M17/45-RG108 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 IS MC MI OS SH TD]	A 6145		CC	13-APR-2010
M	MIL-DTL-17/54B(1) NOT 3	Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/54-RG122 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 IS MC MI OS SH]	A 6145		CC	13-APR-2010
M	MIL-DTL-17/73B(1) NOT 2	Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/73-RG212 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 IS MC MI OS SH TD]	A 6145		CC	13-APR-2010
M	MIL-DTL-17/74C(1) NOT 2	Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, Unarmored M17/74-RG213, and Armored M17/74-RG215 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 IS MC MI OS SH TD]	A 6145		CC	13-APR-2010
M	MIL-DTL-17/78C(1) NOT 3	Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/78-RG217 and M17/78-00001 Temperature Stabilized [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 IS MC MI OS SH YD]	A 6145		CC	13-APR-2010
M	MIL-DTL-17/79D(3) NOT 1	Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/79-RG218 Unarmored, M17/79-RG219 Armored [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT CR4 IS MC MI OS SH]	A 6145		CC	13-APR-2010
M	MIL-DTL-17/84B(2) NOT 2	Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/84-RG223 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD]	A 6145		CC	13-APR-2010
M	MIL-DTL-17/119G(1) NOT 3	Cables, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/119-RG174 [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD]	A 6145		CC	13-APR-2010
M	MIL-DTL-51485B(2)	Dye, Solvent Yellow 33 [CUST: EA]	A 6820		EA	20-APR-2010
M	MIL-T-704K NOT 2	Treatment and Painting of Material [CUST: MR YD] [REVIEW: AR AT EA GL MC MD MI MS OS SH]	A 8010		YD	05-APR-2010

CANCELED SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	MCA		DATE
				FSC/AREA	PREP ACTY	
M	A-A-55803A NOT 2	Milling Machine, Vertical Knee Type, 3 Axis, Computer Numerical Control, 3.0 to 7.5 Horsepower Spindle Drive (No S/S Document) [CUST: AR SH 99 GS] [REVIEW: 84]	A	3417	/ GS6	21-APR-2010
M	SAE-J276	Tractors and Loaders, Steering Frame Lock for Articulated (S/S by ISO10570) [CUST: AR YD 99 IS]	A	5340	IS	28-APR-2010
M	MIL-PRF-83504/1D NOT 2	Switches, Dual in-Line Package (DIP), Rocker Actuator, Standard Profile, Single Pole, Single Throw Stations, Sealed Base (See Notice 2 for Replacement Information) [CUST: CR EC 85 CC] [REVIEW: 99 AR AS AV MI]	A	5930	CC	27-APR-2010
M	MIL-S-5594B(1) SUP 1 NOT 2	Switch, Toggle, Electrically Held Sealed, General Specification For (S/S by SAE-AS55941) [CUST: AS CC] [REVIEW: MI]	A	5930	AS	16-APR-2010
M	MIL-S-5594/1A NOT 2	Switch, Toggle, Magnetic Hold-in, SPDT (S/S by SAE-AS55941/1) [CUST: AS 85]	A	5930	AS	16-APR-2010
M	MIL-S-5594/2B(1) NOT 3	Switches, Toggle, Magnetic Hold-in, DPDT (S/S by SAE-AS55941/2) [CUST: AS 85]	A	5930	AS	16-APR-2010
M	MIL-S-5594/3A NOT 3	Switch, Toggle, Magnetic Hold-in, DP3T (S/S by SAE-AS55941/3) [CUST: AS 85]	A	5930	AS	16-APR-2010
M	MIL-S-5594/6 NOT 3	Switch, Toggle, Magnetic Hold-in, DP3T, Lever Lock (S/S by SAE-AS55941/6) [CUST: AS]	A	5930	AS	16-APR-2010
M	MIL-I-81550C(1) NOT 2	Insulating Compound, Electrical, Embedding, Reversion Resistant Silicone (S/S by SAE-AS81550) [CUST: CR AS 11 CC] [REVIEW: 03 19 85 99 CG GS MI SH]	A	5970	AS	16-APR-2010
M	ASTM-D261	Pigment, Blue, Iron (No S/S Document) [CUST: CR4 SH 99]	A	8010	SH	26-APR-2010
M	ASTM-D604	Pigment, Diatomaceous Silica (No S/S Document) [CUST: AV SH 99]	A	8010	SH	26-APR-2010
M	ASTM-D12	Oil, Raw Tung (No S/S Document) [CUST: CR4 SH 68] [REVIEW: IS]	A	9160	SH	26-APR-2010
M	ASTM-D774/D774M	Paper, Bursting Strength of (No S/S Document) [CUST: SM AS 11] [REVIEW: 99 AR CR4 GL MI MR OS SA SH YD]	A	9310	AS	12-APR-2010
M	ASTM-D2231	Rubber Properties in Forced Vibration (S/S by ASTM-D5992) [CUST: MR SH 99] [REVIEW: IS]	A	9320	SH	13-APR-2010
M	ASTM-C38	Panel Spalling Testing Refractory Brick (No S/S Document) [CUST: CR4 SH] [REVIEW: GS IS MC]	A	9350	SH	13-APR-2010